


§ 2 調査位置平面図



土質柱状図 (No.1)

調査名 県立大学生物資源開発研究センター（管理棟）

調査地 坂井郡芦原町牛山、二面

調査年月日 平成3年6月26日～3年6月28日

標高 EL +24.542 m

孔内水位 GL -4.20 m（泥水位）

技術者 長谷川 恵一

標尺	標高	深度	層厚	柱状図	色調	土質名	観察	原位置試験深度	標準貫入試験											試料			標尺	
									深度	N	10cm 毎の打撃回数			N 値							採取法			採取深度
											10	20	30	0	10	20	30	40	50	60	乱さない試料	乱した試料		
1	24.04	0.50	0.50		茶褐	表土	山砂（盛土）		1.15	5	2		3										1.15	1
	23.54	1.00	0.50		茶褐	シルト混り砂	旧表土		1.45	30			20									P-01	1.45	
	22.94	1.60	0.60		黒褐	粘土質シルト	含水中位 腐植物混入（木葉、根等）		1.45	8	2	3	3									P-02	2.15	2
2							含水少～中位		2.15	30													2.45	
							下部若干砂分含む		2.45	3	1	1	1										3.15	3
3									3.15	30												P-03	3.45	
	20.84	3.70	2.10		茶褐	粘土質シルト			3.45	9	3	3	3										4.15	4
4							含水中位		4.15	30												P-04	4.45	
	19.54	5.00	1.30		茶	細砂	少量中砂混入する		4.45	35	8	12	15										5.15	5
5									5.15	50													5.45	
6							含水少量		5.45	52	14	17	21										6.15	6
							全体に少量のシルト混入し 非常に締まっている		6.15	50													6.45	
7							均一な層である		6.45	50	17	21	12										7.15	7
									7.15	23													7.38	
8									7.38	50	10	30											8.15	8
									8.15	50													8.35	
9									8.35	50	22	28											9.15	9
									9.15	20													9.35	
10							9.0m以深より粗砂少量 混入する		9.35	50													10.15	10
									10.15	50	23	27											10.33	
11									10.33	16													11.15	11
									11.15	50	24	28											11.34	
12									11.34	19													12.15	12
									12.15	50	25	25											12.32	
13									12.32	17													13.15	13
	11.04	13.50	8.50		茶	中砂			13.15	50	30	20											13.29	
14							含水中位 13.5m～15.0m の2層～5層の砂少量 混入する		13.29	50	20	30											14.15	14
	9.54	15.00	1.50		茶	粗砂			14.15	20													14.35	
15							含水中位 粗砂が2層～5層の砂 1～2層混入		14.35	30	5	7	8										15.15	15
	8.54	16.00	1.00		茶	中砂			15.15	30													15.45	
16									15.45	33	7	13	13										16.15	16
							上部中、粗砂少量混入する		16.15	30													16.45	
17							含水中位～多量		16.45	30													17.15	17
									17.15	13	3	5	5										17.45	
18									17.45	30													18.15	18
							下部中砂を少量含む		18.15	14	3	5	6										18.45	
19									18.45	30													19.15	19
							19.0m付近より含水中 位		19.15	13	4	5	9										19.45	
20									19.45	30													20.15	20
	4.09	20.45	4.45		茶	細砂			20.15	30	4	6	10										20.45	21
21									20.45	30														

三谷エンジニアリング株式会社